



MAEER PUNE'S

**MAHARASHTRA INSTITUTE OF DENTAL
SCIENCE AND RESEARCH LATUR INDIA
(DENTAL COLLEGE & HOSPITAL)**



Address : Vishwanathpuram Ambajogai Road,
Latur. 413531 (Maharashtra)

Tel : (02382) 227703, 227424
Fax : (02382) 228063

Email : principal@mitmidsr.edu.in
midsr.latur@gmail.com
Website : www.mitmidsr.edu.in

MEMORANDUM OF UNDERSTANDING (MOU)

BETWEEN

MAEER'S

**MAHARASHTRA INSTITUTE OF DENTAL SCIENCES & RESEARCH
VISHWANATHPURAM AMBAJOGAI ROAD, LATUR
AND**

AKSHAY INDUSTRIES, LATUR

This MOU is entered into on the 1st day of January 2021 & between Maeer's Maharashtra Institute Of Dental Sciences & Research & Akshay Industries, Latur.

The aforesaid institute hereinafter is referred to as Party 1 & Industry hereinafter is referred to as Party 2.

1. The purpose of this MOU is to develop promote mutual understanding between the two parties for disposal of waste.
2. Is party agrees to develop the following collaborative activities is the clinical areas of mutual entrust, on a basis of equality & reciprocity.
 - 2.1 Disposal of radiographic lead foil.
 - 2.2 Disposal of Mercury.
 - 2.3 Disposal of Metal.
 - 2.4 Disposal of Fixer solution used in radiology.
3. The different materials will be segregated by 1st party as dictated by BMW draft, 2016 by GOI at their premises.


4. The segregated waste will be handed over to 2nd party for final disposal after receiving from 1st party premises.
5. The segregated waste will be collected every year/quarterly from college premises.
6. The aim of the MOU shall be to achieve an effective disposal of BMW waste.
7. The parties hereby agree to establish collaboration according to terms and conditions set out time to time.
8. This MOU may be terminated forthwith by either party by giving 30 days advance written notice to the other party for any reason or will continue collaboration for next **2** years.
9. Compliance with laws: Both parties agree that they shall at all times & at their own expense.
 - a. Strictly comply with all applicable BMW rules set by the GOI.
 - b. Pay all fees & other charges required by such rules and regulations.
 - c. Maintain in full force and effect all licenses, authorizations, registration, website update, reporting of accidents and hazards & qualifications needed.
 - d. Apply all modifications and policies as promulgated by GOI.

On behalf of

On behalf of

**Maharashtra Institute of Dental
Sciences and Research, Latur**


**Akshay Industries,
Latur**





Principal
M.I.D.S.R. Dental College,
LATUR
Principal
Dr. S. S. Kamble
MIDSR, Latur
(Party No. 1)



Mr. Abhinav P. Shah
Akshay Industries,
Latur.
(Party No. 2)

MAEER'S MIT PUNE
INFORMATION AND COMMUNICATIONS TECHNOLOGY DEPARTMENT
PROCEDURE FOR CONDEMNATION AND DISPOSAL OF IT MATERIAL



		
Prepared By	Verified By	Approved By



MAEER/MIT-ICT/18/10

March 7, 2018

To

Prof. Dr. Mangesh T. Karad

Executive Director, MIT Group of Institutions, Pune

Sub: Write off IT Material as per "IT Material Condemtion & Disposal Policy of MIT"

Respected sir,

This is with reference to above subject, we have received requisition in specified format from MIT College of Engineering & Maharashtra Institute of Technology, Kothrud Campus Pune as per the list attached herewith for write off IT Mateial Scrap such as CPU, Monitors, Printers, & Other Misc. items.

We have initialised the process and verified the material. Also collected quotations from three different E Waste Management Vendors registered under MPCB.

Comparative statement & scrap report / lists are attached herewith for your approval. So kindly guide us to complete the above process at the earliest.


Prachi Bhalerao

Office Assistant


Sunil Hade

Manager Computer Services


Prof. Charudatta V. Kulkarni

Head MIT – ICT

- Encl: 1. List of Material to be write off 2. Comparative Statement
3. Requisition / Committee Report 4. Scrap Register

Approved / Not-Approved


Prof. (Dr.) Mangesh T. Karad

Trustee and Executive Director, MIT Group of Institutions, Pune

1878

)

)

12

1878

1878

1878




1878

1878

Comparative Statement for IT Material Scrap

Sr. No.	Material	Unit	Shree Recyclers	Mahalaxmi	Kuldeep
1	CRT Monitor	Nos.	250.00	180.00	180.00
2	CPU	Nos.	200.00	100.00	80.00
3	Server (Full)	Nos.	300.00	200.00	150.00
4	Server (Partial)	Nos.	200.00	-	-
5	Printer	Nos.	100.00	50.00	50.00
6	Stabilizer	Nos.	100.00	40.00	40.00
7	AC (Indoor)	Nos.	300.00	200.00	150.00
8	Keyboard	Nos.	10.00	5.00	5.00


Comments: Quotation from IT Scrap buyer Shree Recyclers is recommended for acceptance, their rates being the higher.

Prepared By	Reviewed By	Verified By
		
Stores Assistant MIT - ICT	Manager Computer	Head MIT - ICT

Approved / Not Approved



Executive Director
MIT Group of Institutions



SHREE RECYCLERS

321C, KPCT Mall, Shivarkar Road, Fatima Nagar, Pune-411040
EMAIL: shreerecyclers@gmail.com, CUSTOMER-CARE: 09405576699



Ecoreco
TAKE BACK POINT

Give your e-waste to the best

Certificate No. 56

Date: 28-3-2018

Certificate of e-waste disposal

This is to certify that the e-waste we have received from

Description and quantity of e-waste received:

<u>Material</u>	<u>Qty</u>
① CPU	— 108 kg
② monitor	— 70 kg
③ Ac compressor indoor	— 15 kg
④ Mix E waste	— 10 kg
<u>Total</u>	<u>= 203 kg</u>

We appreciate your efforts in contributing to greener environment.

MPCB Reg.No.BO/MPCB/RO(HQ)/PN/CR/B-1709000650

For Shree Recyclers


Authorised Signatory






ECORECO TAKEBACK POINT

S.NO. 208-2, AT POST - BORIBADAK, CHANDANWADI, TAL.: DAUND
(NEAR URLIKANCHAN), PUNE - 412202

Form-6
[See rule 19]

E-WASTE MANIFEST

1.	Sender's name and mailing address (including Phone No.)	MJT college pune
2.	Sender's authorisation No, if applicable.	
3.	Manifest Document No.	56
4.	Transporter's name and address (including Phone No.)	shree Recyclers
5.	Type of vehicle	(Truck or Tanker or Special Vehicle)
6.	Transporter/s registration No.	MH12MV5596
7.	Vehicle registration No.	
8.	Receiver's name & address :	shree Recyclers
9.	Receiver's authorisation No, if applicable.	801MPCB/R0(CH0)1PN ICR1B-1709000650
10.	Description of E-Waste (Item, Weight/ Numbers):	E waste 203 kg
11.	Name and stamp of Sender* (Manufacturer or Producer or Bulk Consumer or Collection Centre or Refurbisher or Dismantler): Signature: Month Day Year	 03 28 2018
12.	Transporter Acknowledgement of receipt of E-Wastes Name and stamp: Signature: Month Day Year	 Abhagat 2018-03-28
13.	Receiver (Collection Centre or Refurbisher or Dismantler or Recycler) certificate of receipt of E-waste Name and stamp: Signature: Month Day Year	 Abhagat 2018-03-28

* As applicable

Note:-

Copy number with colour code (1)	Purpose (2)
Copy 1 (Yellow)	To be retained by the sender after taking signature on it from the transporter and other three copies will be carried by transporter.
Copy 2 (Pink)	To be retained by the receiver after signature of the transporter.
Copy 3 (Orange)	To be retained by the transporter after taking signature of the receiver.
Copy 4 (Green)	To be returned by the receiver with his/her signature to the sender

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

Date: 26/06/2020

RED/1.S.I

No:- Format1.0/CAC/UAN No.0000043515/CR-2006001151

To,
MIMSR Medical College, Latur
Survey No.277, Vishwanathpuram campus, Ambajogai Road, Tal & Dist: Latur.

Sub: **Combine Consent and BMW Authorization**

- Ref:
1. Consent granted by the Board vide BO/CAC-Cell/EIC-AD-13429 -13/E & O /CAC-114 Dated 22.03.2015 valid up to 31.03.2015
 2. Bio-Medical Authorization granted by the Board vide no.MPCB/PAMS/BMW/AD-31/2013 Dated 29.01.2023 valid up to 31.03.2015
 3. Your application for Combine Consent and Bio-Medical Authorization dated 27.02.2018
 4. The minutes of Consent Appraisal Committee meeting dated 10.04.2019.

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Renewal and BMW authorization is granted upto: 31.12.2020**
2. **The capital investment of the project is Rs.13.88 Crs. (As per C.A Certificate submitted by industry Existing-Rs. 48.47 Crs).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	500	Nos
b)	Total Plot Area	288600.00	Sq.Mtrs
c)	Total Built up Area	59359.00	Sq.Mtrs

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	5	As per Schedule -I	maximum recycle and remaining shall be disposed on land / in to sewerage system provided by Local body.

Sr No	Description	Permitted (In CMD)	Standards to Acheive	Disposal
2.	Domestic effluent	105	As per Schedule - I	As above.

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	Incinerator	1	As per Schedule -II
2	DG Set [500 KVA]	1	As per Schedule -II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	HW Category.	Quantity	UoM	Treatment	Disposal
1	37.2 Ash from incinerator and flue gas cleaning residue	37.2	2	Kg/Day	NA	Landfilling/CHWTSDF

7. Conditions about Non Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	STP Sludge	25	MT/M	Landfill	Use a Manure
2	Dry Waste	54	Kg/Day	segregate	Sale/Use a Manure
3	Wet waste	96	Kg/Day	Landfill	Use a Manure

8. Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDf:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	145.34	Yellow colored non-chlorinated plastic bags	Incinerator
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	1225.00		

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
2	Red	Contaminated waste (Recyclable)	1046.00	Red colored non chlorinated plastic bags or containers	Incinerator
3	White (Translucent)	Waste sharps including Metals	21.56	Puncture proof, Leak proof, tamper proof container	Incinerator
4	Blue	a) Glassware	0.00	Puncture proof & leak proof boxes or containers with blue colored marking.	Incinerator
		b) Metallic body implants	0.00		

9. This consent is issued subject to conditions mentioned below:
- The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - You shall establish Bar code system within one year.
 - You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
10. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

11. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 12 PP shall install primary ETP within 3 months.

For and on behalf of the
Maharashtra Pollution Control
Board.

(E. Ravendiran IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	50000.00	0185243	18/08/2017	NEFT
2	533333.00	5454524	03/10/2019	RTGS
3	30000.00	7612422	03/07/2018	DD

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Latur
• They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC/CAC desk for record and website updation purpose.



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A) As per your application you have proposed to install primary ETP for trade effluent.
- B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100
(6)	COD	250 mg/l

C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.

2. A) As per your application, you have provided Sewage Treatment Plant of designed capacity 300 CMD for the treatment of 105 CMD of sewage.
- B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards:

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	100 mg/l
3	Suspended Solids	Not to exceed	50 mg/l

C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	135.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	35.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
1	Incinerator	Wet scrubber	30	HSD	10 Ltr/Hr	1.00	4.80
1	DG Set [500 KVA]	Acoustic Encloser and Stack	5.0	HSD	40 Ltr/Hr	1.00	19.20

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.



SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

****** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	1,00,000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	1,00,000
3	To install primary ETP within 3 months	Continuous	1,00,000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	50,000
2	To maintain records of BMW material delivered to CBMWTSDf	Continuous	50,000
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).)
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

