




Address : Vishwanathpuram Ambajogai Road,
Latur, 413531 (Maharashtra)

Tel : (02382) 228063, 227703,
227424
Fax : (02382) 228063

Email : principal@mitmidsr.edu.in
midsr.latur@gmail.com
Website : www.mitmidsr.edu.in

7.1.5 INSTALLATION OR MAINTAINENCE REPORTS OF WATER CONSERVATION FACILITIES AVAILABLE IN THE INSTITUTION





MAHARASHTRA INSTITUTE OF DENTAL SCIENCES & RESEARCH (DENTAL COLLEGE)



Address : Vishwanathpuram Ambajogai Road,
Latur. 413531 (Maharashtra)

Tel : (02382) 228063, 227703,
227424

Fax : (02382) 228063

Email : principal@mitmidrs.edu
midrs.latur@gmail.com

Website : www.mitmidrs.edu.in

TABLE OF CONTENTS

SR. NO.	FACILITIES AVAILABLE IN THE INSTITUTE	PG. NO.
1	RAIN WATER HARVESTING	3
2	BORE WELL/ OPEN WELL RECHARGE	4
3	STORAGE TANKS	5
4	WASTE WATER RECYCLING	6
5	FEASIBILITY REPORT OF EFFLUENT TREATMENT PLANT	7-13
6	STANDING OPERATING PROCEDURE ETP	4-18
7	MAHARASHTRA POLLUTION CONTROL BOARD	19-24
8	MAINTAINENCE OF WATER TANKS	25-36
9	DISTRIBUTION SYSTEM IN THE CAMPUS	37

Sangani
Principal
M. I. D. S. R. Dental College
LATUR



Address : Vishwanathpuram Ambajogai Road,
Latur. 413531 (Maharashtra)

Tel : (02382) 228063, 227703,
227424

Fax : (02382) 228063

Email : principal@mitmidsr.edu.in
midsr.latur@gmail.com

Website : www.mitmidsr.edu.in

RAIN WATER HARVESTING



Rain Water is harvested behind girls hostel in the college campus. The size of the catchment area is 40000 litres capacity.

Sangam
Principal
M. I. D. S. R. Dental College
LATUR



Address : Vishwanathpuram Ambajogai Road,
Latur. 413531 (Maharashtra)



Tel : (02382) 228063, 227703,
227424

Email : principal@mitmidsr.edu
midsr.latur@gmail.com

Fax : (02382) 228063

Website : www.mitmidsr.edu.in

BORE WELL/ OPEN WELL RECHARGE



2 bore well facility available in campus, 1 near boys hostel and 1 located at site of rain water harvesting behind girls hostel. 1 open well is located near boys hostel.

Sangane
Principal
M. I. D. S. R. Dental College
LATUR



MAEER PUNE's

MAHARASHTRA INSTITUTE OF DENTAL SCIENCES & RESEARCH (DENTAL COLLEGE)




Address : Vishwanathpuram Ambajogai Road,
Latur. 413531 (Maharashtra)

Tel : (02382) 228063, 227703,
227424
Fax : (02382) 228063

Email : principal@mitmidsr.edu
midsr.latur@gmail.com
Website : www.mitmidsr.edu.in

STORAGE TANK



2 Underground tanks of capacity of 40000 litres each (located in front of B and D wing of hospital building) and 3 overhead tanks, 2 overhead tanks with capacity of 70000 litres (on top of either side of A wing) and 1 tank of 5000 litres (on top of corner of A and C wing of hospital building)

Sangam
Principal
M. I. D. S. R. Dental College
LATUR



MAHARASHTRA INSTITUTE OF DENTAL SCIENCES & RESEARCH (DENTAL COLLEGE)



Address : Vishwanathpuram Ambajogai Road,
Latur. 413531 (Maharashtra)


Tel : (02382) 228063, 227703,
227424

Fax : (02382) 228063

Email : principal@mitmidr.edu
midr.latur@gmail.com

Website : www.mitmidr.edu.in

WASTE WATER RECYCLING



Sangam
 Principal
 M. I. D. S. R. Dental College
 LATUR

FEASIBILITY REPORT

FOR

EFFLUENT TREATMENT PLANT

AT

**MIMSR COLLEGE
LATUR**

BY

**DECCAN ENVIRONMENTAL CONSULTANTS PVT.
LTD.,**

**5, Prasad Apartment, 43/14, Erandwane,
Behind Indian Overseas Bank Ltd.,
Nal Stop, Pune – 411 004**

Phone: 020 – 3253 7941, Fax: 020 – 2545 3174

E-mail: deccanenviro@gmail.com

Principals

Principal

**M. I. D. S. R. Dental College
LATUR**

INDEX



INTRODUCTION



DESIGN BASIS



TREATMENT PHILOSOPHY



LIST OF MECHANICAL EQUIPMENTS



CONCLUSION


Principal
M. I. D. S. R. Dental College
LATUR

INTRODUCTION

The plant is provided to treat the effluent generated from domestic usage containing the pollutants like Suspended solids and bio – degradable organics. The plant is designed on the principle of aerobic attached growth bacterial process. Treated effluent can be suitably disposed off or use for secondary application.

Bangam

Principal
M. I. D. S. R. Dental College
LATUR

TREATMENT PHILOSOPHY

The raw wastewater generated will be received through the **BAR SCREEN CHANNEL** and then collected in the **EQUALIZATION TANK** by gravity.

The raw wastewater is pumped at constant rate as per design into the **AERATION TANK** to be treated aerobically. The aerobic microbes in the reactor utilize the pollutant in presence of oxygen thereby reducing BOD/COD.

The biomass generated will be separated in the **SETTLING TANK** and clear water flow by gravity into **C.C. / TREATED W/W TANK**.

The supernatant will be dosed with Sodium Hypochlorite and allowed to react for disinfection. It is then pumped through the **DUAL MEDIA FILTER (FL – 01)**.

This treated wastewater will then be used for Gardening, Toilet Flushing etc., as required by Client.

Faint, illegible text, possibly a stamp or signature.

Shanyam
Principal
M. I. D. S. R. Dental College
LATUR

LIST OF MECHANICAL EQUIPMENTS

1. BAR SCREEN – 1 No.
2. FEED PUMP – 2 Nos. (1W + 1S)
3. AIR GRID FOR EQUALIZATION TANK - Lot
4. AERATION TANK INTERNALS - Lot
5. MEDIA FOR AERATION TANK – Lot in PP
6. MEDIA FOR TUBE SETTLING TANK – Lot in PVC
7. AIR BLOWER – 2 Nos. (1W + 1S)
8. SLUDGE PUMP – 2 Nos. (1W + 1S).
9. HYPO DOSING TANK – 1 No.
10. HYPO DOSING PUMP – 1 No.
11. AIR GRID FOR C.C. / FILTER FEED TANK – Lot
12. FILTER FEED PUMP – 2 Nos. (1W + 1S)
13. DUAL MEDIA FILTER – 1 No.

Sangam
Principal
M. I. D. S. R. Dental College
LATUR

CONCLUSION

1. The Effluent treatment plant capacity shall be 300 m³/d.
2. A proper care shall be taken for the machinery and operation of the plant.
3. Necessary training to be given to the operators.
4. Proper records of the maintenance to be maintained.

Rangan

Principal
M. I. D. S. R. Dental College
LATUR



MAHARASHTRA INSTITUTE OF DENTAL SCIENCES & RESEARCH (DENTAL COLLEGE)



Address : Vishwanathpuram Ambajogai Road,
Latur. 413531 (Maharashtra)

Tel : (02382) 228063, 227703,
227424
Fax : (02382) 228063

Email : principal@mitmidsr.edu.in
midsr.latur@gmail.com
Website : www.mitmidsr.edu.in

STANDING OPERATING PROCEDURE ETP



STANDING OPERATION PROCEDURE

EFFULENT TREATMENT PLANT

(MIMSR MEDICAL COLLEGE & Y.C.R. HOSPITAL, LATUR).

Brief – This is the most effective Effluent Water Treatment Plant which gives Purified Water up to 900 to 1000 Tds cleaned water @ 14000 lt. Per hour and the same water is used for gardening in the campus of this College and Hospital. The plant is Established in the month of March 2012. The total cost of the Project was Rs. 38 Lakhs including civil work. Annual maintenance contact of this plant is done with the firm Deccan Environmental Consultancy.

The standing operation Procedure of this plant is as under :-


1. All the waste water of Hospital, Laboratories, Medical College, Family Quarters and Laundry is collected in central septic tank which is installed just near to the ETP.
2. This water of septic tank is flowed to the Bar Screen Chamber
3. From bar Screen Chamber the water which contents oily and greasy Material Tank which is having capacity of 30,000 Lit.
4. Then the water goes to – Collection Tank , having capacity of 65000 Lit.
5. 2 Air Blower fitted on collection tank for Flow air in the tank to increase the growth of bacteria.
6. Sludge Tank – Mud dumping 30,000 Lit. Capacity.


Sangam
Principal

M. I. D. S. R. Dental College
M. I. D. S. R. Dental College
LATUR

7. 2 Feed Pump – Pushes the water per hour 14000 Lit. to Aeration Tank capacity 60,000 lit.
8. Panel Board – To on /off the plant.
9. Sludge Pump – 2 pumps - to push dust and rubbish in sludge tank.
- 10 Filter Feed Pump – To provide clean water to Dual Media Filter Tank (Blue colour).
- 11 Cleaned Water Storage Tank – Capacity 70,000 lit. Receive 13,000 lit. Cleaned water from filter tank per hour.
- 12 Water Filter Machine –To provide filtered water to garden through Tibak System.

Station : Latur
Date : 13 Dec. 2013


Principal,
MIMSR Medical College,
Latur.


Principal
M. I. D. S. R. Dental College
LATUR

योग्य / निश्चित कार्यप्रणाली सांडपाणी शुध्दीकरण यंत्रसंच

व्याख्या :- हा एक सर्वोत्तम सांडपाणी शुध्द करण्याचा यंत्रसंच आहे. ज्याची १४,००० लिटर / तास शुध्द पाणी निर्माण करण्याची, १००-१००० टी.डी. एस. पर्यंतची क्षमता आहे. ते शुध्द पाणी दवाखाना / कॉलेज कॉम्पसमधील बागेसाठी वापरात येते. हा यंत्रसंच मार्च २०१२ मध्ये स्थापित करण्यात आलेला आहे. ज्यासाठी ३८ लाख रूपये एकूण खर्च आला आहे. त्याच्या वार्षिक रखरखावाची जबाबदारी " डेक्कन इन्वायर्नमेंटल कन्सल्टन्सी प्रा.लि. पुणे " मार्फत केली जाते.

या यंत्रसंचाची योग्य/निश्चित कार्यप्रणाली खालील प्रमाणे आहे:-

- १) दवाखान्यातून, प्रयोगशाळेतून, वैद्यकीय महाविद्यालयातून, निवासी इमारतीमधून लॉण्डीमधून बाहेर पडणारे घाण/दुषित पाणी एका सेप्टिक टॅक मध्ये इ.टी.पी.च्या जवळ एकत्र केले जाते.
- २) या सेप्टिक टॅक मधील एकत्र झालेले पाणी बार स्क्रीन चेंबर मधून वाहून नेले जाते.
- ३) बार स्क्रीन चेंबर मधून हे घाण पाणी ऑईली/ग्रीसी टॅक मध्ये येते ज्याची क्षमता ३०,००० लि. आहे.
- ४) त्यानंतर हे पाणी कलेक्शन टॅक मध्ये वाहून नेले जाते ज्याची क्षमता ६५,००० लि. आहे.
- ५) कलेक्शन टॅकवर दोन एअर ब्लोअर फिट केलेले आहे. ज्याचे कार्य बॅक्टीरियाची वाढ करणे आहे.
- ६) त्यानंतर गाळाचा टॅक आहे. ज्याची क्षमता ३०,००० लि. आहे.
- ७) दोन फीड पंप १४,००० लि. पाणी प्रति तासाला एअरिएशन टॅक मध्ये ढकलतात/फेकतात ज्याची क्षमता ६०,००० लि. आहे.
- ८) हा पॅनल बोर्ड आहे. ज्याद्वारे यंत्रसंच बंद चालू केला जातो.

Sangam
Principal
M. I. D. S. R. Dental College
LATUR

- ९) गाळाचा पंप :- दोन पंप कचरा ढकलण्याचे कार्य करतात.
- १०) त्यानंतर फिल्टर फिड पंप आहे ज्याद्वारे स्वच्छ पाणी दोन भागाच्या फिल्टर टॅकमध्ये पाठविले जाते. ज्याचा रंग निळा आहे.
- ११) त्यानंतर वॉटर स्टोअरेज टॅक ज्याची क्षमता ७०,००० लि. जो कि १३,००० लि. शुध्द पाणी प्रति तासाला ग्रहण करतो.
- १२) वॉटर फिल्टर मशीन :- ज्याद्वारे स्वच्छ पाणी वागेसाठी ठिबक व्दारे पुरवठा होतो.

Seangan
Principal
M. I. D. S. R. Dental College
LATUR

MAHARASHTRA POLLUTION CONTROL BOARD

Phone1 : 02402473461
 Phone1 : 02402473461
 Fax : 02473462

Website : <http://mpcb.gov.in>



Regional Laboratory
 A4/1 Paryavaran Bhavan
 Behind Dainik Lokpatra, MIDC
 Chikhalthana

E-mail : sourangabad@mpcb.gov.in

Report No: MPCB/RLAU/JVS/16/1213

Date: 27/10/2016

ANALYSIS REPORT-WATER (JVS)

Industry Name & Address	M/s MIMSR medical college & research centre, Ambejogai road, Latur	Industry Code	
Consent No		Type Of Industry	Hospital
Dt. & Time of Sample Collection	10/08/2016 09:30:00		
Sample ID	SROLT/JVS/16/01424	Sample Source	ETP
Lab Sample Code	RLAU/JVS/16/00378		
Sample Location	Outlet	Location Details	
Collected By	Namdev Pandurang Darsewad	Seal No.	
Dt. of Submission	11/08/2016	Dt. of Receipt	18/08/2016

Sr.No	Parameter	UoM	Results
1	BOD	mg/lit	14.0
2	C.O.D	mg/lit	44.0
3	Oil & Grease	mg/lit	BDL
4	pH		7.3
5	Suspended Solids	mg/lit	12.0
6	Chlorides	mg/lit	619.8
7	Sulphate	mg/lit	113.8
8	T.D.Solids	mg/lit	1300.0

NA : Not Analysed BDL : Below Detection Limit ND : Not Detectable UoM : Unit Of Measurement

Reviewed By

Shri.V.R.Thakur
 Scientific Officer

I/C ,Regional Laboratory - Aurangabad

** Electronic report does not require signature

Sangam
Principal
 M. I. D. S. R. Dental College
 LATUR

MAHARASHTRA POLLUTION CONTROL BOARD

Phone1 : 02402473401
 Phone1 : 02402473401
 Fax : 02473402



Regional Laboratory
 A4/1 Paryavaran Bhavan
 Behind Dainik Lokpatra, MIDC
 Chikhalthana

E-mail : soaurangabad@mpcb.gov.in

Website : <http://mpcb.gov.in>

Report No: MPCB/RLAU/JVS/17/1312

Date: 05/05/2017

ANALYSIS REPORT-WATER (JVS)

Industry Name & Address	M/s MIMSR Medical college & Research Center, Ambejogai Road, Latur	Industry Code	
Consent No		Type Of Industry	hospital
Dt. & Time of Sample Collection		26/04/2017 04:0:00	
Sample ID	SROLT/JVS/17/01445	Sample Source	ETP
Lab Sample Code	RLAU/JVS/17/00074		
Sample Location	Outlet	Location Details	
Collected By	Namdev Pandurang Darsewad	Seal No.	
Dt. of Submission	26/04/2017	Dt. of Receipt	29/04/2017

Sr.No	Parameter	UoM	Results
1	pH		7.9
2	BOD	mg/lit	22.0
3	C.O.D	mg/lit	84.0
4	Oil & Grease	mg/lit	BDL
5	Suspended Solids	mg/lit	20.0
6	Chlorides	mg/lit	399.9
7	Sulphate	mg/lit	274.4
8	T.D.Solids	mg/lit	1310.0

NA : Not Analysed BDL : Below Detection Limit ND : Not Detectable UoM : Unit Of Measurement

Reviewed By

Shri.V.R.Thakur
 Scientific Officer

I/C ,Regional Laboratory - Aurangabad

Sanganu

Principal
 M. I. D. S. R. Dental College
 LATUR

MAHARASHTRA POLLUTION CONTROL BOARD
SUB-REGIONAL OFFICE, LATUR

Tel: 252672
Website: mpcb.gov.in
Email: srolatur@mpcb.gov.in



Sub-Regional Office,
Dev Towers, Opp. Tahashil Office,
Plot No. RL-2045, Barshi Road,
Latur-413512

Date: -15/12/2018

No. MFCB/SRO-LI 51

To, MIMSR Medical (MIT)
College & research
Centre Latur

Sub: Result of analysis of JVS samples collected on dt. -----

Sir,

This office has collected JVS samples from your factory on dt. -----

The results of analysis of above samples are attached herewith for your reference.

As seen from the results the highlighted figures shows that, the quality of the effluent is not meeting the prescribed standards of consent order.

As per the condition of the consent you shall provide adequate effluent treatment system for the treatment of effluent arising from your factory so that, the quality of the treated effluent should meet the consent standards.

The results attached indicates that you have failed to provide adequate effluent treatment plant and contravening the conditions of the consent order thus violating the provisions of the water (P. & CP) Act, 1974 & thereby you have rendered yourself liable for legal action.

You are hereby directed to improve the treatment system so that the treated effluent should qualify the prescribed standards. The steps taken in this regard may be communicated to this office.

Failure shall be seriously viewed, which may please be noted.

Yours Faithfully,

Sub Regional Officer,
M.P.C. Board, Latur

Copy Submitted for information:-
Regional Officer, MPC Board, Aurangabad

Y. C. R. Hospital LATUR
E.D.
Chank
07
21/01/2019

M.I.M.S.R., M.C. LATUR	
Executive Director	
Acad. & Admly	
Dean/Principal	<i>[Signature]</i>
Registrar	<i>[Signature]</i>
C.A.F.O.	
O.S.	<i>[Signature]</i>
H.R.	
Section	Hosp. supdt
I.W.No.	87

18.01.2019

[Signature]
21/1/19

[Signature]
Principal
M. I. D. S. R. Dental College
LATUR

MAHARASHTRA POLLUTION CONTROL BOARD

Phone1 : 02402473461
 Phone1 : 02402473461
 Fax : 02473462



Regional Laboratory
 A4/1 Paryavaran Bhavan
 Behind Dainik Lokpatra, MIDC
 Chikhalthana

Website : <http://mpcb.gov.in>

E-mail : soaurangabad@mpcb.gov.in

Report No: MPCB/RLAU/JVS/19/1814

Date: 13/08/2019

ANALYSIS REPORT-WATER (JVS)

Industry Name & Address	MIMSR, Ambajogai Road Latur	Industry Code	
Consent No		Type Of Industry	Hospital
Dt. & Time of Sample Collection	29/06/2019 12:30:00		

Sample ID	SROLT/JVS/19/01785	Sample Source	STP
Lab Sample Code	RLAU/JVS/19/00322		
Sample Location	Outlet	Location Details	
Collected By	Ravindra G. Kshirsagar	Seal No.	
Dt. of Submission	29/06/2019	Dt. of Receipt	11/07/2019

Sr.No	Parameter	UoM	Results
1	BOD	mg/lit	6.2
2	C.O.D	mg/lit	24.0
3	Oil & Grease	mg/lit	BDL
4	pH		7.3
5	Suspended Solids	mg/lit	8.0
6	Chlorides	mg/lit	334.9
7	Sulphate	mg/lit	167.0
8	T.D.Solids	mg/lit	1402.0

NA : Not Analysed BDL : Below Detection Limit ND : Not Detectable UoM : Unit Of Measurement

Reviewed By

Shri.V.R.Thakur
 Scientific Officer
 I/C ,Regional Laboratory - Aurangabad

** Electronic report does not require signature

Sanganu
Principal
 M. I. D. S. R. Dental College
 LATUR

MAHARASHTRA POLLUTION CONTROL BOARD

Phone1 : 02402473461

Phone1 : 02402473461

Fax : 02473462

Website : <http://mpcb.gov.in>

Regional Laboratory
A4/1 Paryavaran Bhavan
Behind Dainik Lokpatra, MIDC
Chikhalthana

E-mail : soaurangabad@mpcb.gov.in

Report No: MPCB/RLAU/JVS/19/1725

Date: 15/07/2019

ANALYSIS REPORT-WATER (JVS)

Industry Name & Address	MIMSR Renapur Road Ambaojogai Road Latur	Industry Code	Hospital
Consent No		Type Of Industry	
Dt. & Time of Sample Collection	11/04/2019 09:30:00		
Sample ID	SROLT/JVS/19/01763	Sample Source	STP
Lab Sample Code	RLAU/JVS/19/00011		
Sample Location	Outlet	Location Details	
Collected By	Ravindra G. Kshirsagar	Seal No.	
Dt. of Submission	12/04/2019	Dt. of Receipt	20/04/2019

Sr.No	Parameter	UoM	Results
1	BOD	mg/lit	95.0
2	C.O.D	mg/lit	264.0
3	Oil & Grease	mg/lit	BDL
4	pH		7.9
5	Suspended Solids	mg/lit	108.0
6	Chlorides	mg/lit	339.9
7	Sulphate	mg/lit	1268.5
8	T.D.Solids	mg/lit	2140.0

NA : Not Analysed BDL : Below Detection Limit ND : Not Detectable UoM : Unit Of Measurement

Reviewed By

Shri.V.R.Thakur
Scientific Officer


I/C ,Regional Laboratory - Aurangabad

Sangam
Principal
M. I. D. S. R. Dental College
LATUR



Date: 24/11/2017

Maharashtra Pollution Control Board



M. S. R. Medical College
Ambajogai Road, Latour
Tal. Dist - Latour

Subject : Bill for Collection of Joint Vigilance Sample (JVS)

Sir,

It is intended to collect Vigilance Sample of Industrial/Domestic effluent, sample of Stack/Ambient Air, Hazardous Waste etc. of industry along with industry representative. Accordingly sample of your industry was collected by undersigned along with your senior concern officer. Your effluent, Air, H.W. sample will be analysed the following parameters.

Parameters to be analysed (Please Tick)

Water	pH	BOD	COD	D.O.	S.S.	OIL & GREASE
	TDS	Chlorides	Sulphate			
Air	Ambient	SO ₂	RSPM	NO _x		
	Stack	SO ₂	TPM	Acid Mist	HCL	
Haz. Waste	Leachates Preparation	Mixture of Heavy Metal	Toxicity	Lead	Hg	Chlorides
	Sulphate					

The Charge for collection and analysis of your effluent sample, Air sample, HW Sample etc. are as under:

Particulars	Water	Air			Hazardous Waste	Noise	
		Stack	AAQM			1 st Location	2 nd Location
Collection Charges in Rs.		5500	1800				
Analysis Charges in Rs.		1200	2000	2000			
Total in Rs.		6700	2000	3800		Total	12500
Rupees in Words :	Twelve Thousand Five hundred only						

The payment may please be made by Demand Draft / Cheque in favour of "Maharashtra Pollution Control Board" & submit to the office along with copy of bill. Further, note that the analysis report will be sent to you only on receipt of payment.

Industry Representative

Sub Regional Officer
M.P.C. BOARD

Field Officer
M.P.C. BOARD

B. J.
Principal
M. I. D. S. R. Dental College
LATOUR



MAHARASHTRA INSTITUTE OF DENTAL SCIENCES & RESEARCH (DENTAL COLLEGE)



Address : Vishwanathpuram Ambajogai Road,
Latur. 413531 (Maharashtra)

Tel : (02382) 228063, 227703,
227424
Fax : (02382) 228063

Email : principal@mitmidsr.edu
midsr.latur@gmail.com
Website : www.mitmidsr.edu.in

MAINTAINENCE OF WATER TANKS



दि. 12/1 /2015

परिपत्रक

सर्वविभाग प्रमुखांना कळविण्यात येते की, पिण्याच्या पाण्याच्या टाक्या धुऊन स्वच्छ करावयाच्या आहेत. टाकी संख्या २३ असून तरी दि. 13/1 /2015 पासून दि. 22/1 /2015 पर्यंत आपल्या विभागातील दररोज एक सेवक या कामासाठी देवून सहकार्य करावे.

नोट : वेळ सकाळी ९.०० वाजता

अ. क्र.	विभागाचे नाव	सेवक संख्या	विभागप्रमुखाची सही	कर्मचा-याचे नाव व सही
०१	पी.एस.एम.	०१		
०२	बायोकेमिस्ट्री	०१		पद्मल 15/1/15
०३	पॅथॉलॉजी	०१		जयसिंग सांगळे
०४	मायक्रोबायोलॉजी	०१		
०५	अॅनाटॉमी	०१		
०६	फिजिओलॉजी	०१		श्रीत गाडगे
०७	फार्माकॉलॉजी	०१		
०८	रूग्णालय अधीक्षक	०३		
०९	मेट्रन ऑफीस	०२		
१०	नर्सिंग कॉलेज	०२		
११	दंत महाविद्यालय	०३		

स्वच्छता विभाग प्रमुख

for Principal
12/1/2015

पी.एस.एम. विभागप्रमुख

2-1-15

ग.प्र.व ले.अधिकारी:-

निबंधक:-

M. G. G. V.

प्राचार्य:-

Principal
M. I. D. S. R. Dental College
LATUR

दि. 6 / 8 / 2016

परिपत्रक

सर्वविभाग प्रमुखांना कळविण्यात येते की, पिण्याच्या पाण्याच्या टाक्या धुऊन स्वच्छ करावयाच्या आहेत. टाकी संख्या २३ असून तरी दि. ८ / ८ / २०१६ पासून दि. १८ / ८ / २०१६ पर्यंत आपल्या विभागातील दररोज एक सेवक या कामासाठी देवून सहकार्य करावे.

नोट : वेळ सकाळी ९.०० वाजता

अ. क्र.	विभागाचे नाव	सेवक संख्या	विभागप्रमुखाची सही	कर्मचा-याचे नाव व सही
०१	पी.एस.एम.	०१		
०२	बायोकेमिस्ट्री	०१		
०३	पॅथॉलॉजी	०१		N.A. Sonwane (8-08-16-9)
०४	मायक्रोबायोलॉजी	०१		
०५	अॅनाटॉमी	०१		Manik Sissat
०६	फिजिओलॉजी	०१		
०७	फार्माकॉलॉजी	०१		
०८	रूग्णालय अधीक्षक	०३		
०९	मेट्रन ऑफीस	०२		
१०	नर्सिंग कॉलेज	०३		
११	दंत महाविद्यालय	०३		

स्वच्छता विभाग प्रमुख

पी.एस.एम. विभागप्रमुख

ग.प्र.व ले.अधिकारी:-

निबंधक:-

प्राचार्य:-

Principal
M. B. D. S. R. Dental College
LATUR

प्रति,

बांधकाम विभाग


M.I.D.S.R. लातूर.


पाण्याच्या टाक्या धुळी व आवभांच्या तारखा.

श्वालील प्रमाणे.


इंजाक	क्रमांक	कामाचा तपशिल.
3116	नं. 1	ओ. पि. डी. हॉल, 2 टाक्या. ✓
8116	नं. 2	लेडीज हॉस्टेल 2 व मेष 4 टाकी.
18116	नं. 3	गंगा, सरस्वती कॉरिडर 3 टाक्या. 1 हॉल ✓
8116	नं. 4	आर्थो व गाभळक वार्डवरील 2 टाक्या.
3116	नं. 5	O.T. वरील 2 टाक्या.
8116	नं. 6	गोस्ट हॉलम 1 टाक्या.
8116	नं. 7	कॉलेज बिल्डींग वरील 2 टाक्या.
8116	नं. 8	डेंटल वरील 1 टाकी.
18116	नं. 9	बॉईज हॉस्टेल वरील 3 टाक्या.

स्वच्छता विभाग.

श. प्र. व. ले. अधिकारी - 


पी. एस. एस. एम. वि. प्र. प्रसाद

निबंधक -

प्राचार्य सैद्धम - 


Principal
M. I. D. S. R. Dental College
LATUR

दि. १६/१२/२०१७

परिपत्रक

सर्व विभाग प्रमुखांना कळविण्यात येते की, ... २०१७, २०१८, २०१९, २०२०, २०२१ पर्यंत दररोज एक सेवक या कामासाठी देऊन सहकार्य करावे.

नोट : वेळ सकाळी ११.०० वा.

अ.क्र.	विभागाचे नाव	सेवक संख्या	विभागप्रमुखाची सही	कर्मचा-याचे नाव व सही
०१	पी.एस.एम.	०१		—
०२	बायोकेमेस्ट्री	०१		
०३	पॅथॉलॉजी	०१		
०४	मायक्रोबायोलॉजी	०१		
०५	अॅनाटॉमी	०१		
०६	फिजिओलॉजी	०१		
०७	फार्माकॉलॉजी	०१		
०८	रूग्णालय अधीक्षक कार्यालय	०३		
०९	मेट्रन ऑफीस	०३		
१०	नर्सिंग कॉलेज	०१		
११	फिजिओथेरेपी	०१		
१२	दंत महाविद्यालय	०५	(०२)	
१३	मुलांचे वस्तीगृह	०१		

स्वच्छता विभाग प्रमुख:

विभाग प्रमुख

मुख्य प्रशासकिय अधिकारी:-

निबंधक :-

प्राचार्य :-

Principal
M. I. D. S. R. Dental College
LATUR

दि. 18/08/2018

परिपत्रक

सर्वविभाग प्रमुखांना कळविण्यात येते की, पिण्याच्या पाण्याच्या टाक्या धुऊन स्वच्छ करावयाच्या आहेत. टाकी संख्या २३ असून तरी दि. 20/08/2018 पासून दि. 29/08/2018 पर्यंत आपल्या विभागातील दररोज एक सेवक या कामासाठी देवून सहकार्य करावे.

नोट : वेळ सकाळी ९.०० वाजता

अ. क्र.	विभागाचे नाव	सेवक संख्या	विभागप्रमुखाची सही	कर्मचा-याचे नाव व सही
०१	पी.एस.एम.	०१		
०२	बायोकेमिस्ट्री	०१		
०३	पॅथॉलॉजी	०१		
०४	मायक्रोबायोलॉजी	०१		
०५	अॅनाटॉमी	०१		
०६	फिजिओलॉजी	०१		
०७	फार्माकॉलॉजी	०१		
०८	रूग्णालय अधिक्षक	०३		
०९	मेट्न ऑफीस	०२		
१०	नर्सिंग कॉलेज	०२		
११	दंत महाविद्यालय	०३		
१२	फिजिओ थेरपी कॉ.	०१		
१३	अॅथलास	०१		

स्वच्छता विभाग प्रमुख (T. D. P.)

पी.एस.एम. विभागप्रमुख: *[Signature]*

[Handwritten signature]

ग.प्र.व ले.अधिकारी:-

निबंधक:- *[Signature]*

प्राचार्य:- *[Signature]*

[Handwritten signature]

[Signature]
Principal
M. I. D. S. R. Dental College
LATUR

दि. 18/08/2018


परिपत्रक


सर्वविभाग प्रमुखांना कळविण्यात येते की, पिण्याच्या पाण्याच्या टाक्या धुऊन स्वच्छ करावयाच्या आहेत. टाकी संख्या २३ असून तरी दि. २०/०८/२०१८ पासून दि. २९/०८/२०१८ पर्यंत आपल्या विभागातील दररोज एक सेवक या कामासाठी देवून सहकार्य करावे.

नोट : वेळ सकाळी ९.०० वाजता


अ. क्र.	विभागाचे नाव	सेवक संख्या	विभागप्रमुखाची सही	कर्मचा-याचे नाव व सही
०१	पी.एस.एम.	०१		
०२	बायोकेमिस्ट्री	०१		
०३	पॅथॉलॉजी	०१		
०४	मायक्रोबायोलॉजी	०१		
०५	अॅनाटॉमी	०१		
०६	फिजिओलॉजी	०१		
०७	फार्माकॉलॉजी	०१		
०८	रूग्णालय अधीक्षक	०३		
०९	मेट्रन ऑफीस	०२		
१०	नर्सिंग कॉलेज	०२		
११	दंत महाविद्यालय	०३		
१२	फिजिओ थैरेपी कॉ.	०१		
१३	श्रीधराम	०१		

स्वच्छता विभाग प्रमुख (प्र.प्र.व.)

पी.एस.एम. विभागप्रमुख: 


इसके मॅग्रेटर :- 

ग.प्र.व. ले.अधिकारी:-

निबंधक:- 

प्राचार्य:- 




Principal
M. I. D. S. R. Dental College
LATUR

दि. 22/01/2019

सर्व विभाग प्रमुखांना कळविण्यात येते की, विभाग प्रमुखांच्या कार्याची स्वच्छता कामाकरीता दि. 23/01/2019 ते दि. 27/01/2019 पर्यंत दररोज सेवक या कामासाठी देऊन सहकार्य करावे.

नोट : वेळ सकाळी 8:30 वा.

अ.क्र	विभागाचे नाव	सेवक संख्या	विभागप्रमुखाची सही	कर्मचा-याचे नाव सही
1	पी.एस.एम	04		डी. डाम. लोटे.
2	बयोकेमिस्ट्री	04		विक्रम कांबळे.
3	पॅथालॉजी	01		नादा सोनवणे
4	मयक्रोबायलॉजी	—		
5	अॅनाटॉमी	01		माणिक मिरसाडे
6	फिजिओलॉजी	—		
7	फार्माकॉलॉजी	—		
8	रुग्णालय अधीक्षक	—		
9	मेट्रन आफिस	—		
10	नर्सिंग कॉलेज	—		
11	दंत महाविद्यालय	02		02
12	फीजीथेरापी कॉलेज	—		
13	बॉ. हॉस्टेल	—		

स्वच्छता विभाग प्रमुख

पी.एस.एम. विभागप्रमुख

मुख्य प्रशासकिय अधिकारी:-

निबंधक:-


प्राचार्य:-


Principal
M. I. D. S. R. Dental College
LATUR

सर्वविभाग प्रमुखोंला कळविण्यात येते की, पिण्याच्या पाण्याचा टाक्या धुऊन स्वच्छ करावयाच्या आहेत. टाकी संख्या २३ असून दिनांक १९ मार्च दि. ०९/०६/१९ पर्यंत आपल्या विभागातील दररोज डाक सेवेक या कामासाठी देऊन सहकार्य करावे.

नोंद : वेळ सकाळी ९:०० वाजता.


अ. क्र.	विभागाचे नाव	सेवक संख्या	विभाग प्रमुख याची सही	कर्मचाऱे नाव
०१	पी. डी.स. डी.स.	०१		
०२	बायोकेमिस्ट्री	०१		
०३	मॅथोलाॅजी	०१		
०४	फार्माकोलाॅजी	०१		
०५	दंत महाविद्यालय	०२		
०६	मेडिकल ऑफिस	०१		
०७	बार्निंग कॉलेज	०१		
०८	किनेथेरोपी कॉलेज	०१		

पी. डी.स. डी.स. विभाग प्रमुख: — 


स्वच्छता विभाग

मुख्य प्रशासकीय अधिकारी साहेब: — 

लिखक साहेब: — 

प्राचार्य साहेब: — 


Principal
M. I. D. S. R. Dental College
LATUR

दि. 23/06/2020

परिपत्रक

शुभ विभाग प्रमुखांना कळविण्यात येते की, महाविद्यालय परिसरात गवत व झाडे-झुडपे वाढलेले आहे. तरी गवत काढण्यासाठी दि.23/06/2020 पासून दि. 30/06/2020 पर्यंत दररोज एक सेवक या कामासाठी देवून सहकार्य करावे.


नोंद : वेळ सकाळी ९.०० वाजता.

अ.क्र.	विभागाचे नाव	सेवक संख्या	विभागप्रमुखाची सही	कर्मचा-याचे नांव व सही
०१	पी.एस.एम.	०१		
०२	बायोकोमस्ट्री	०१		
०३	पॅथॉलॉजी	०१		
०४	मायक्रोबायोलॉजी	०१		
०५	अॅनाटॉमी	०१		
०६	फिजिओलॉजी	०१		
०७	फार्माकॉलॉजी	०१		
०८	रुग्णालय अधीक्षक	०२		
०९	मेट्रन ऑफीस	०३ सेविका		
१०	नर्सिंग कॉलेज	०१		
११	दंत महाविद्यालय	०२		
१२	फिजिओथेरेपी कॉलेज	०१		
१३	ग्रंथालय	०१		


वांधकाम विभाग प्रमुख



स्वच्छता विभाग प्रमुख



मुख्य प्रशासकिय अधिकारी



निबंधक :-



प्राचार्य




Principal
M. I. D. S. R. Dental College
LATUR


दिनांक 8/6/20

प्रती,


बांधकाम विभाग
वैद्यकीय महाविद्यालय
लातूर.


माण्यांच्या टाक्या शुद्धन घ्यावयांच्या तारखा खालीलप्रमाणे.


दिनांक	टाकी क्रमांक	कामाचा तपशिल.
10/06/20	02, 03, क्रं	ओ.पी.डी. हॉल 02 टाक्या.
11/06/20	07, 08, 09, क्रं	लेडिज हॉस्टेल 02 मेस 01 टाकी
12/06/20	10, 11, 12 क्रं	ओर्बो व गायनिकुवार्ड वरील 02 टा
13/06/20	16, 17, क्रं	0.1. वरील 02 टाक्या.
15/06/20	10 क्रं	ग्रेट हॉलस 01 टाकी.
16/06/20	18, 19, क्रं	कॉलेज बिल्डिंग वरील 02 टाक्य
17/06/20	15 क्रं	डेन्टल वरील 01 टाकी.
18/06/20	20, 21, 23, क्रं	बॉईज हॉस्टेल वरील 03 टाक्या.
19/06/20	04, 05, 06, क्रं	डांगगा, सरस्वती क्वार्टर 03 टाक्य

बांधकाम विभाग प्रमुख :- 


स्वच्छता विभाग

मुख्य प्रशासकिय अधिकारी साहेब :- 

निबंध साहेब :- 

प्राचार्य साहेब :- 


Principal
M. I. D. S. R. Dental College
LATUR

परिपत्रक

मदविभाग प्रमुखांना कळविण्यात येते की, पिण्याच्या पाण्याच्या टाक्या धुऊन स्वच्छ करावयाच्या आहेत. टाकी संख्या २३ असून तरी दि.२७/०७/२०२१ पासून दि.०६/०८/२०२१ पर्यंत आपल्या विभागातील दररोज एक सेवक या कामासाठी देवून सहकार्य करावे.

नोंद : वंळ सकाळी ९.०० वाजता.

अ.क्र.	विभागाचे नाव	सेवक संख्या	विभागप्रमुखाची सही	कर्मचा-याचे नांव व सही
०१	पी.एस.एम.	०१		
०२	बायोकेमिस्ट्री	०१		
०३	पॅथॉलॉजी	०१		
०४	मायक्रोबायोलॉजी	०१		
०५	अॅनाटॉमी	०१		
०६	फिजिओलॉजी	०१		
०७	फार्माकॉलॉजी	०१		
०८	रुग्णालय अधीक्षक	०३		
०९	मेट्रन ऑफीस	०२		
१०	नर्सिंग कॉलेज	०२		
११.	दंत महाविद्यालय	०३+०२		
१२	फिजोओथेरपी कॉलेज	०१		
१३	ग्रंथालय	०१		

वांधकाम विभाग प्रमुख

खच्छता विभाग

H.R. :- *Suwan*
20/7/2021

No/PO :- *3mm*
20/7/2021

मुख्य प्राशासकिय अधिकारी :- *[Signature]*

अभिधाता :- *[Signature]*

[Signature]
Principal
M. I. D. S. R. Dental College
LATUR




Address : Vishwanathpuram Ambajogai Road,
Latur. 413531 (Maharashtra)

Tel : (02382) 228063, 227703,
227424
Fax : (02382) 228063

Email : principal@mitmidsr.edu
midrs.latur@gmail.com
Website : www.mitmidrs.edu.in

DISTRIBUTION SYSTEM IN THE CAMPUS



Water filter plant is situated at 1st floor at the junction of B and C Wing of
the Hospital building

Sangam
Principal
M. I. D. S. R. Dental College
LATUR



MAEER PUNE's

MAHARASHTRA INSTITUTE OF DENTAL SCIENCES & RESEARCH (DENTAL COLLEGE)

ESTD 2006



Address : Vishwanathpuram Ambajogai Road,
Latur. 413531 (Maharashtra)

Tel : (02382) 228063, 227703,
227424
Fax : (02382) 228063

Email : principal@mitmidsr.edu.in
midsr.latur@gmail.com
Website : www.mitmidsr.edu.in

CONCLUSION

- Our institute always keeps in its practices to ensure optimal utilization of water resources.
- Water source management storage management, distribution as well as proper recycling is thoroughly monitored.
- Latur being in a drought prone area, our practices have empowered us to be self sufficient in terms of water resource management.

Sangam
Principal
M. I. D. S. R. Dental College
LATUR