



MAHARASHTRA INSTITUTE OF DENTAL SCIENCES & RESEARCH (DENTAL COLLEGE)



Address : Vishwanathpuram Ambajogal Road,
Latur, 413531 (Maharashtra)

Tel : (02382) 228063, 227703,
227424

Fax : (02382) 228063

Email : principal@mitmidr.edu
midr.latur@gmail.com

Website : www.mitmidr.edu.in

**Relevant documents like
agreements/MoUs with government
and other approved agencies**

Sangam
Principal

M.I.D.S.R. Dental College,
LATUR



MAEER PUNE's

ESTD 2006

MAHARASHTRA INSTITUTE OF DENTAL SCIENCES & RESEARCH (DENTAL COLLEGE)



Address : Vishwanathpuram Ambajogai Road,
Latur, 413531 (Maharashtra)

Tel : (02382) 228063, 227703,
227424

Fax : (02382) 228063

Email : principal@mitmidsr.edu.in
midsr.latur@gmail.com

Website : www.mitmidsr.edu.in

TABLE OF CONTENTS

SR. NO.	RELEVANT DOCUMENTS	PG. NO.
1	MAHARASHTRA POLLUTION CONTROL BOARD – CONSENT & AUTHORIZATION	3-6
2	SCHEDULE – I OF WATER POLLUTION CONTROL	7-8
3	SCHEDULE – II OF AIR POLLUTION CONTROL	9
4	SCHEDULE – III DETAILS OF BANK GUARANTEE	10
5	SCHEDULE –IV GENERAL CONDITIONS	11-12
6	AMBIENT AIR ANALYSIS REPORT	13
7	SOURCE EMISSION ANALYSIS REPORT	14
8	WATER ANALYSIS REPORT	15
9	MoU OF BIOMEDICAL WASTE	16-18
10	E-WASTE MANAGEMENT	19
11	PROCEDURE FOR CONDEMNATION & DISPOSAL POLICY OF MIT	20
12	LETTER FOR WRITE OFF IT MATERIAL CONDEMNATION & DISPOSAL POLICY OF MIT	21
13	COMPARATIVE STATEMENT FOR IT MATERIAL SCRAP	22
14	CERTIFICATE OF E-WASTE DISPOSAL OF SHREE RECYCLERS	23
15	E-WASTE MANIFEST (FORM-6) OF SHREE RECYCLERS	24

Tejangan
Principal
M.I.D.S.R. Dental College,
LATUR

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

Date: 26/06/2020

RED/S.I

No:- Format1.0/CAC/UAN No.0000043515/CR-2006001151

To,
MIMSR Medical College, Latur
Survey No.277,Vishwanathpuram campus,Ambajogai Road,Tal & Dist: Latur.

Sub: **Combine Consent and BMW Authorization**

- Ref:
1. Consent granted by the Board vide BO/CAC-Cell/EIC-AD-13429 -13/E & O /CAC-114 Dated 22.03.2015 valid up to 31.03.2015
 2. Bio-Medical Authorization granted by the Board vide no.MPCB/PAMS/BMW/AD-31/2013 Dated 29.01.2023 valid up to 31.03.2015
 3. Your application for Combine Consent and Bio-Medical Authorization dated 27.02.2018
 4. The minutes of Consent Appraisal Committee meeting dated 10.04.2019.

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Renewal and BMW authorization is granted upto: 31.12.2020**
2. **The capital investment of the project is Rs.13.88 Crs. (As per C.A Certificate submitted by industry Existing-Rs. 48.47 Crs).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	500	Nos
b)	Total Plot Area	288600.00	Sq.Mtrs
c)	Total Built up Area	59359.00	Sq.Mtrs

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	5	As per Schedule -I	maximum recycle and remaining shall be disposed on land / in to sewerage system provided by Local body.

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
2.	Domestic effluent	105	As per Schedule - I	As above.

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	Incinerator	1	As per Schedule -II
2	DG Set [500 KVA]	1	As per Schedule -II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	HW Category.	Quantity	UoM	Treatment	Disposal
1	37.2 Ash from incinerator and flue gas cleaning residue	37.2	2	Kg/Day	NA	Landfilling/CHWTSDF

7. Conditions about Non Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	STP Sludge	25	MT/M	Landfill	Use a Manure
2	Dry Waste	54	Kg/Day	segregate	Sale/Use a Manure
3	Wet waste	96	Kg/Day	Landfill	Use a Manure

8. Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDf:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	145.34	Yellow colored non-chlorinated plastic bags	Incinerator
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	1225.00		

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
2	Red	Contaminated waste (Recyclable)	1046.00	Red colored non chlorinated plastic bags or containers	Incinerator
3	White (Translucent)	Waste sharps including Metals	21.56	Puncture proof, Leak proof, tamper proof container	Incinerator
4	Blue	a) Glassware	0.00	Puncture proof & leak proof boxes or containers with blue colored marking.	Incinerator
		b) Metallic body implants	0.00		

9. This consent is issued subject to conditions mentioned below:
- The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
 - You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - You shall establish Bar code system within one year.
 - You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
10. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the Industry.

11. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
12. PP shall install primary ETP within 3 months.

For and on behalf of the
Maharashtra Pollution Control
Board.

(E. Ravendiran IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	50000.00	0185243	18/08/2017	NEFT
2	533333.00	5454524	03/10/2019	RTGS
3	30000.00	7612422	03/07/2018	DD

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Latur
+ They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC/CAC desk for record and website updation purpose.



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application you have proposed to install primary ETP for trade effluent.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100
(6)	COD	250 mg/l

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 300 CMD for the treatment of 105 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	100 mg/l
3	Suspended Soilds	Not to exceed	50 mg/l

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	135.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	35.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

[Handwritten signature]



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
1	Incinerator	Wet scrubber	30	HSD	10 Ltr/Hr	1.00	4.80
1	DG Set [500 KVA]	Acoustic Encloser and Stack	5.0	HSD	40 Ltr/Hr	1.00	19.20

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.



SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	1,00,000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	1,00,000
3	To install primary ETP within 3 months	Continuous	1,00,000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	50,000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	50,000
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in). }
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.





GREEN ENVIROSAFE
Engineers & Consultant Pvt Ltd.

Survey No-1405/06, Mayuri Residency, Shop No-16, 2nd Floor, Sanaswadi, Tal-Shirur, Pune-412208
Mob-+ 9545094620 | E-mail:gesac12@gmail.com | www.greenenvirosafe.co.in
CIN No. : U74900PN2013PTC149666

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

TEST CERTIFICATE

Report No: GESEC/PRO/2020-21/09/617	Date of Report	28/09/2020
Client Name and Address: M/s MIMSR Medical Collage, Survey No 277, Vishwnathpuram, Ambajogai Road, Tq&Dist: Latur.	Date of Sampling	21/09/2020
	Start Date of Analysis	23/09/2020
	End Date of Analysis	28/09/2020
	Sample Details	Ambient Air
	Sample Location	Near Main Gate

Ambient Air Analysis Report

Sr. No.	Parameter	Result	Unit(s)	NAAQ Standards
1.	Ambient Temperature	26	°C	
2.	Relative Humidity	89	% RH	
3.	Sulphur Dioxide(SO ₂)	09	µg/M ³	≤ 80
4.	Oxides of Nitrogen(NO ₂)	18	µg/M ³	≤ 80
5.	Particulate Matter PM ₁₀	46	µg/M ³	≤ 100
6.	Particulate Matter PM _{2.5}	17	µg/M ³	≤ 60
7.	Carbon Monoxide (CO)	0.26	mg/M ³	≤ 04
8.	Ozone(O ₃)	<19.6	µg/M ³	≤ 180
9.	Lead (Pb)	<0.02	µg/M ³	≤ 1.0
10.	Ammonia(NH ₃)	<4	µg/M ³	≤ 400
11.	Benzene(C ₆ H ₆)	<1	µg/M ³	≤ 05
12.	Benzo(a)Pyrene(BaP)	<0.2	ng/M ³	≤ 01
13.	Arsenic(As)	<0.3	ng/M ³	≤ 06
14.	Nickel(Ni)	<3	ng/M ³	≤ 20

Remark-All above results are within National Ambient Air Quality standards.

ANALYZED BY-

@holoe



AUTHORIZED SIGNATORY-

Hande

Terms and conditions

1. The report is refer only to the sample tested and not applies to the bulk.
2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
3. The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
4. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
5. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
6. MoEF approved Lab by Govt. of India, From date: 09/02/2017 to 08/02/2022.

Kangane
Principal
M.D.S.R. Dental College,
LATUR



GREEN ENVIROSAFE
Engineers & Consultant Pvt Ltd.

Survey No-1405/06, Mayuri Residency, Shop No-16, 2nd Floor, Sanaswadi, Tal-Shirur, Pune-412208
Mob-+ 9545084620 | E-mail:gesec12@gmail.com | www.greenenvirosafe.co.in
CIN No. : U74900PN2013PTC149666

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

TEST CERTIFICATE

Report No: GESEC/PRO/2020-21/09/619	Date of Report	26/09/2020
Client Name and Address: M/s MIMSR Medical Collage, Survey No 277, Vishwnathpuram, Ambajogai Road, Tq&Dist: Latur.	Date of Sampling	22/09/2020
	Start Date of Analysis	23/09/2020
	End Date of Analysis	26/09/2020
	Sample Location	Incinerator
	Sample Details	Stack

Source Emission Analysis Report


Sr. No.	Parameter	Result	Unit(s)	Limits As Per MPCB Consent
1.	Material of Stack	MS	--	
2.	Shape of Stack	Round	--	
3.	Stack Height	30	mtr.	
4.	Flue Gas Temperature	90	°C	
5.	Velocity	8.3	M/s	
6.	Dimensions of Stack	0.4	mtr.	
7.	Stack Area	0.1256	M ²	
8.	Gas Volume	3082	NM ³ /Hr	
9.	Particulate Matter	69	mg/NM ³	≤ 150
10.	SO ₂	1.04	Kg/day	

Remark(s):

➤ All above results are well within MPCB Limit.

ANALYZED BY-

Sheloe



AUTHORIZED SIGNATORY-

Hande

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the regulatory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.

Sho nehan

Principal
M.H.D.S.R.: Dental College,
LATUR



GREEN ENVIROSAFE

Engineers & Consultant Pvt Ltd.

Survey No-1405/06, Mayuri Residency, Shop No-16, 2nd Floor, Sanaswadi, Tal-Shirur, Pune-412208

Mob-+ 9545084620 | E-mail:gesec12@gmail.com | www.greenenvirosafe.co.in

CIN No. : U74900PN2013PTC149666

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

TEST CERTIFICATE

Report No: GESEC/PRO/2020-21/09/618	Date of Report	28/09/2020
Client Name and Address: M/s MIMSR Medical Collage, Survey No 277, Vishwnathpuram, Ambajogai Road, Tq&Dist: Latur.	Date of Sampling	22/09/2020
	Start Date of Analysis	23/09/2020
	End Date of Analysis	28/09/2020
	Sample Details	ETP Outlet
	Nature of sample	Liquid


Water Analysis Report

Sr. No.	Parameter	Result	MPCB Limits	Unit(s)	Standard Method
1.	pH	7.4	5.5-8.5	--	APHA 4500-H ⁺
2.	Chemical Oxygen Demand	93	250	mg/lit	APHA 5220 B
3.	BOD at 27°C for 3 days	24	30	mg/lit	APHA 5210 B
4.	Total Suspended Solid	63	100	mg/lit	APHA 2540-D
5.	Total Dissolved Solid	867	2100	mg/lit	APHA 2540-C
6.	Oil and grease	<1	10	mg/lit	APHA 5520 B
7.	Sulphate	314	1000	mg/lit	APHA 4500 SO ₄ ⁻ E
8.	Chloride(As Cl)	174	600	mg/lit	APHA 4500 Cl ⁻ B

Remark(s): All parameters are within the MPCB limit.

ANALYZED BY-

Sholage



AUTHORIZED SIGNATORY-

A. J. Jandale

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.

Banganu
Principal
M.I.D.S.R. Dental College,
LATUR



MAEER PUNE's

MAHARASHTRA INSTITUTE OF DENTAL SCIENCES & RESEARCH (DENTAL COLLEGE)



Address : Vishwanathpuram Ambajogai Road,
Latur, 413531 (Maharashtra)


Tel : (02382) 228063, 227703,
227424


Fax : (02382) 228063

Email : principal@mitmidr.edu
midr.latur@gmail.com

Website : www.mitmidr.edu.in

MoU OF BIOMEDICAL WASTE





महाराष्ट्र MAHARASHTRA

2022

00AA 904163



प्रतिष्ठा पत्र कोणाकडे सादर करावयाचे

प्रतिष्ठापनासाठीचे कारण

१२८८१००

मुद्रांक विधी बाबतची नोंदवही क्र. १२३७७

दि. ११ AUG 2022

मुद्रांक शुल्क १००

मुद्रांक विवर देण्याची पत्र

डॉ. मनिषा सुपुल्य + १८१

व अधिकारीच्या

अच (

Swal

एस. पी. स्वामी

२१३१

मुद्रांक विवर देण्याची नोंद प.क्र.३७०१०२७ न्यायालय परिसर, लातूर

CONTRACT AGREEMENT FOR COLLECTION & TRANSPORTATION OF BIO MEDICAL WASTE

This agreement is executed as per the permission granted by the M.P.C.B. in favour of **AKSHAY INDUSTRIES, MIDC, LATUR** in respect of collection, transportation & Disposal of Bio Medical Waste as per requirement of the parties against the consideration decided by them which is described as under.

The agreement is executed today on this day 1st April 2022 in between.



M. K. ...

Q

Dean

Principal
M.I.D.S.R.: Dental College,

- | | |
|---|--|
| 1) Hon. Dean MIMSR medical college
And YCR Hospital, Latur
(Here in called as party no.1) | Successor at present
Dr.Nawab P.Jamadar.
Dean, Latur. |
| 2) Pro. Akshay Industries, Latur.
(Here in called as party no.2) | Successor at present
Mr.Abhinav P. Shah
Pro.Akshay Industries, Latur |

Whereas the party no.2 is contractor and for doing the said above work as per the rules and regulation of M.P.C.B. Party No.2 erect the project and invest near about **Rs.150.00 to 200.00 lacks. (Rs One hundred fifty to Two hundred Lacks)** for the plant, machinery and specially designed vehicles. so this agreement is executed for the mention period between party NO. 1 and Party No. 2 due to which the party No. 2 will get the fruits of invest amount on the project and for this the Terms & Conditions of Agreements:

Period Of Agreement: 01 April 2022 to 31 March 2023

- 1) The bio-medical was generated by hospital is defined as follows.
 - a. Human Anatomical Waste
 - b. Micro Bio-logical/ Bacteriological waste & Path Lab, waste
 - c. Waste Sharps
 - d. Discarded medicine & equipment, plastic, rubber, disposal
 - e. Solid waste, glass bottles, plastic bottles, injection, syringes etc.
 - f. All types of tubes, cotton waste, used banded etc.
1. All the above material (Waste) is to be segregated and stored in prescribed bags with Label of Bio-Medical Waste Rules which are having specific color codes as per M.P.C.B. Act, The material is to be segregated by hospital housekeeping department.
2. In the Bio-Medical waste bag/ other waste is not allowed such as food foodstuff, carry bags, fruits, papers, coconut, and flower. After conveying frequently if concerning institute is failed in this regard, their report will be conveyed to MPCB.



Abhinav P. Shah


[Signature]
Dean
M.I.M.S.R. Medical College,
& YCR HOSPITAL

[Signature]
Principal
M.I.D.S.R.- Dental College
& HOSPITAL

3. That, segregated material will be collected by the contractor's staff and transported by their own vehicles which are as per the B.M.W.(M&H) rules 1998.
4. Both the parties are abiding to sign on their card whether the waste material is available or not. The responsibility of put the bags into the vehicle is that of concerning institute / hospital.
5. The collected bio-medical waste to dispose it is contractor's responsibility.
6. The disposal charges of Bio-medical waste will be under :-
 - a. 77500/- per month. [300 Beds x Rs.8.61 x 30 Days = 77500/-]
 - b. The taxes will be charged extra as applicable by rules then existing
7. The payment of collection, transportation and disposal is to be paid on 5th day of each English Calendar month; The Akshay Industries will issue receipt of the same.
8. On the day of Dhulwandi, Rang Panchami or any occasion like curfew, Band etc. that days waste will be collected on the next day but the charges for that day will be added in the bill.
9. The total system will be carried out as M.P.C.B, rules and regulations by law 1998, the respected amendment for the both the laws will be corporate as and when published.
10. If there is hike in cost of transpiration fuel, electricity, wages, diesel etc. Charges may be revised by mutual understanding of party no. 1 and party no. 2.
11. After putting the bill please keep the cheque ready to avoid inconvenience.
12. If the Institute fails to make the payment regularly as per agreement to contractor. The contractor will wait up to 2 months and after that contractor will stop the services and inform to MPCB/ Local Authority/ Civil Surgeon/ Collector and the concern institute will be responsible for further cause and consequence which will be adore in future, OR
After two months 24% interest per annum will be charged / if any institute failed to pay the amount as above.




Dean
M.I.M.S.R. Medical College,
& Y.C.R. HOSPITAL,


Principal
M.I.D.S.R. Dental College,
LATUR

13. It is necessary for Party No.2 to collect Bio Medical waste regularly and daily from consent institute if Party No 2 (Contractor) fails to do if then he will be answerable to M.P.C.B. at the any time.
14. The contractor must collect the BMW from entire Latur District. Hence hospital should make arrangement to collect all B.M.W. at one place along with filled bags in the hospital premises. The Co-operation in this way should be extended to the contractor.
15. Injection needles should be terminated within the institute. Hence needle terminator should be kept in the institute. This is mandatory by the Govt.
16. Any type of B.M.W. for e.g. plastic bottle, I.V.set , I.V. bottle, syringes / glass bottle, should be given to contractor only. It is not allowed to sale in the scrap or dispose at any other public place by a mistake of patient or hospital servant. For this type of mistake only hospital will be held responsible.
17. If the institute / hospital remain closed at the arrival of Bio-Medical Waste Collection Vehicle, the concerning institute will have to pay the charge of that particular day even if the waste is not available.
18. If the institution / Hospital will remain closed for a week or more than that, the concerning institution must convey this in advance, otherwise if the fails in this regard will have to pay the charges of this period. The information should be in written only.
19. Waste collection timings: 8.00am to 12.00am.
20. Party No. 2 is having rights to check the number of beds in the institute / hospital at the same time concerning institution / hospital must provide the authorized person for this.
21. The charges of amputation will be decided after the mutual consent of party No. 1 and 2. the detailed information about the person for whose visible amputation is done must submit to the party no. 2 The information is such as, name, Age, address, sex, amputation date, time etc. must Produce on letter head with stamp. Amputation will not collected until & unless the information should be on the authorized letterhead.



Signature

Signature
M.I.M.S.R. Medical College,
& Y.C.R. HOSPITAL,

Signature
Principal
M.I.D.S.R. Dental College,

22. The concerning institution, hospital have their duty to make aware of the Bio-Medical Waste to their staff.
23. The terms and conditions are strictly followed for the both parties. No claim will be entertained thereafter.
24. If the party of any side want to break this contract should inform the other party before 2 months.
25. The date of collection to be start will be informed to the health center and the billing for the same will be started from the first day of collection started.
26. The above contract is made without fear / threat / drink.

Successor at present



Dr. Nawab P. Jamadar,
Dean
M.I.M.S.R. Medical College,
Hong Dean MIMSRA Medical college
& Y.C.R. HOSPITAL,
LATUR - 413 531.
And YCR Hospital, Latur.

(party no.1)



Mr. Abhinav P. Shah
Akshay Industries,
Latur.

(party no.2)



Shri. Shripati Munde.

Administrator Officer,


MIMSAR & YCR Hospital, Latur.




Principal
M.I.D.S.R.-Dental College,
LATUR



Dear
Mr. R. C. M. M.
WATSON & O'Y &
RUTAI



महाराष्ट्र MAHARASHTRA

© 2022 ©

37AA 746030

प्रतिज्ञापक कौणांकडे सादर करावयाचे

प्रतिज्ञापनासाठीचे कारण

मुद्रांक विक्री दाबतची नोंदवही क्र. 156020 22/3/2023

मुद्रांक शुल्क रक्कम..... 10

मुद्रांक विकत घेणाऱ्याचे नाव

विक्रीची पत्ता

विकत घेणाऱ्याची सही

व्ही. एन. केदार

द.क्र. 3701028 तहसिल समोर, लातूर



Principal
M. I. D. S. R. Dental College
LATUR

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 1st day of January 2023 between Maharashtra Institute of Medical Sciences and Research, Medical College and Yeshwantrao Chawan Rural Hospital affiliated to Maharashtra University of Health Sciences, Nashik, and recognized by National Medical Commission which is represented by its Principal/Dean/Medical Superintendent/Medical Director/CEO herein named as party one

and

Maharashtra Institute of Dental Sciences & Research, (Dental College) affiliated to Maharashtra University of Health Sciences, Nashik, and recognized by Dental Council of India, represented by its Principal/Director/Dean herein named as party two

Principal
M.I.D.S.R. Dental College,
LATUR

The parties hitherto agree as follows:

1. Party one declares that **Yeshwanthrao Chawan Rural Hospital** is a 776 bedded hospital, with 100 beds earmarked for sharing with party two as needed.
2. Party one agrees to share with party two the minimum space necessary in the hospital building to conduct the teaching-learning and clinical activities for Dentistry programs.
3. Party one agrees to provide Faculty adjunct required to train the Dentistry Students
4. Party one agrees that, it will not enter into similar agreement with any other Dental institution/s offering or intend to offer Dentistry programs.
5. The prospective students will be allowed to undergo Theory, Practical and Clinical training in the following Preclinical, Paraclinical and Clinical departments
 - Anatomy
 - Physiology
 - Biochemistry
 - Pathology
 - Microbiology
 - Pharmacology
 - Medicine
 - Surgery
6. Party one will also share the OT complex with Anesthetist services and 25 Post Operative beds as per needs depending on patient admitted for Oral Surgery and Pedodontics department of party two. Other facilities required to the party two as per their statutory regulating authority will also be provided by the party one which includes Biomedical Waste Disposal, Sewage Treatment Plant, Water Recycling Plant, Water Purification plant, Central Sterile services department, Boys and Girls Hostel, Mess, Canteen, Medical Store, Auditorium and Dome, Staff quarters, PG Quarters, Nursing Quarters, Solar Plant, Generator, Incinerator, Playground and Outdoor Sports facilities, Gymnasium, Examination halls and common services like housekeeping, sanitation, Pollution Control Certification and IT/Internet Services.
7. Party two will provide the remuneration to the academic staff involved for Dentistry course.
8. This agreement is to be in effect at least for ten years from the time of its endorsement by both the parties. The Hospital will not sign the MOU for sharing of the hospital facilities with any other Dentistry institution till the present agreement / MOU is in effect.



Principal
S.R. Dental College,





9 The officials representing Maharashtra Institute of Medical Sciences and Research, Medical College and Yeshwanthrao Chawan Rural Hospital and Maharashtra Institute of Dental Sciences and Research, Dental College are signing this MOU to achieve the beneficial objectives of Dentistry programs.

Signature

[Executive Director for Party one]
Executive Director
MIMSR Medical College and YCR Hospital
LATUR

[Principal for Party one]
Principal
MIMSR Medical College and YCR Hospital
LATUR - 413 531

Witness 1:
Name and Signature with date

Witness 2:
Name and Signature with date
Assistant Dean,
MIMSR Medical College
LATUR-413 531


Signature

[Executive Director for Party two]
Executive Director
MIDSR Dental College
M.I.D.S.R. Dental College,
LATUR

[Principal for Party two]
Principal
MIDSR Dental College
M.I.D.S.R. Dental College,
LATUR

Witness 1: Dr. Yatish Kumar Joshi
Name and Signature with date

Witness 2: Dr. Aju S. Jankar
Name and Signature with date



- 6 APR 2023

BEFORE ME
Adv. Ashok D. Lokhande
Adv. & Notary Govt. Of India
Latur, Dist. Latur

Jankar
Principal
M.I.D.S.R. Dental College,
LATUR

MAEER PUNE's

ESTD 2006



MAHARASHTRA INSTITUTE OF DENTAL SCIENCES & RESEARCH (DENTAL COLLEGE)



Address : Vishwanathpuram Ambajogai Road,
Latur, 413531 (Maharashtra)


Tel : (02382) 228063, 227703,
227424

Fax : (02382) 228063


Email : principal@mitmidsr.edu.in
midslatur@gmail.com

Website : www.mitmidsr.edu.in

E waste management



**MAEER'S MIT PUNE
INFORMATION AND COMMUNICATIONS TECHNOLOGY DEPARTMENT
PROCEDURE FOR CONDEMNATION AND DISPOSAL OF IT MATERIAL**



Prepared By	Verified By	Approved By

LEER/MITICT/HM/WP/02/00/01/06/2016

Rangan
Principal
M.I.D.S.R.: Dental College,
LATUR

MAEER/MIT-ICT/18/10

March 7, 2018

To

Prof. Dr. Mangesh T. Karad

Executive Director, MIT Group of Institutions, Pune


Sub: Write off IT Material as per "IT Material Condemtion & Disposal Policy of MIT"

Respected sir,

This is with reference to above subject, we have received requisition in specified format from MIT College of Engineering & Maharashtra Institute of Technology, Kothrud Campus Pune as per the list attached herewith for write off IT Mateial Scrap such as CPU, Monitors, Printers, & Other Misc. items.


We have initialised the process and verified the material. Also collected quotations from three different E Waste Management Vendors registered under MPCB.

Comparative statement & scrap report / lists are attached herewith for your approval. So kindly guide us to complete the above process at the earliest.


Prachi Bhalerao

Prachi Bhalerao

Office Assistant



Sunil Hade

Manager Computer Services




Prof. Charudatta V. Kulkarni

Head MIT – ICT

- Encl:** 1. List of Material to be write off 2. Comparative Statement
3. Requisition / Committee Report 4. Scrap Register

Approved / Not-Approved


Prof. (Dr.) Mangesh T. Karad


Principal
M.I.D.S.R: Dental College,
LATUR




Date
CS No.

07-03-2018
76

Comparative Statement for IT Material Scrap

Sr. No.	Material	Unit	Shree Recyclers	Mahalaxmi	Kuldeep
1	CRT Monitor	Nos.	250.00	180.00	180.00
2	CPU	Nos.	200.00	100.00	80.00
3	Server (Full)	Nos.	300.00	200.00	150.00
4	Server (Partial)	Nos.	200.00	-	-
5	Printer	Nos.	100.00	50.00	50.00
6	Stabilizer	Nos.	100.00	40.00	40.00
7	AC (Indoor)	Nos.	300.00	200.00	150.00
8	Keyboard	Nos.	10.00	5.00	5.00


Comments: Quotation from IT Scrap buyer Shree Recyclers is recommended for acceptance, their rates being the higher.

Prepared By	Reviewed By	Verified By
	 Sunil Hade	
Stores Assistant MIT - ICT	Manager Computer	Head MIT - ICT

Approved / Not Approved



Executive Director
MIT Group of Institutions


Principal
M.I.D.S.R: Dental College,
LATUR

SHREE RECYCLERS

321C, KPCT Mall, Shivarkar Road, Fatima Nagar, Pune-411040
EMAIL: shreerecyclers@gmail.com, CUSTOMER-CARE: 09405576699



Ecoreco
TAKE BACK POINT

Give your e-waste to the be

Certificate No. 56

Date: 28-3-2018

Certificate of e-waste disposal

This is to certify that the e-waste we have received from


Description and quantity of e-waste received:


<u>Material</u>	<u>Qty</u>
① CPU	108 kg
② monitor	70 kg
③ Ac compressor indoor	15 kg
④ Mix E waste	10 kg
Total	= 203 kg

We appreciate your efforts in contributing to greener environment.

MPCB Reg.No.BO/MPCB/RO(HQ)/PN/CR/B-1709000650


For Shree Recyclers


Authorised Signatory



ECORECO TAKEBACK POINT

S.NO. 208-2, AT POST - BORIBADAK, CHANDANWADI, TAL.: DAUND
(NEAR URLIKANCHAN), PUNE - 412202






Principal

M.I.D.S.R. Dental College,
LATUR

Form-6
[See rule 19]

E-WASTE MANIFEST

1.	Sender's name and mailing address (including Phone No.)	MJT college pune
2.	Sender's authorisation No, if applicable.	
3.	Manifest Document No.	56
4.	Transporter's name and address (including Phone No.)	shree Recyclers
5.	Type of vehicle	(Truck or Tanker or Special Vehicle)
6.	Transporter/s registration No.	MH12MV 5596
7.	Vehicle registration No.	
8.	Receiver's name & address :	shree Recyclers
9.	Receiver's authorisation No, if applicable.	80/MPCB/RO(HQ)/PN ICR/B-1709000650
10.	Description of E-Waste (Item, Weight/ Numbers) :	E waste 203 kg
11.	Name and stamp of Sender* (Manufacturer or Producer or Bulk Consumer or Collection Centre or Refurbisher or Dismantler): Signature: Month Day Year	 03 28 2018
12.	Transporter Acknowledgement of receipt of E-Wastes Name and stamp: Signature: Month Day Year	 Abhaget 2018-03-28
13.	Receiver (Collection Centre or Refurbisher or Dismantler or Recycler) certification of receipt of E-waste Name and stamp: Signature: Month Day Year	 Abhaget 2018-03-28

* As applicable

Note:-

Copy number with colour code (1)	Purpose (2)
Copy 1 (Yellow)	To be retained by the sender after taking signature on it from the transporter and other three copies will be carried by transporter.
Copy 2 (Pink)	To be retained by the receiver after signature of the transporter.
Copy 3 (Orange)	To be retained by the transporter after taking signature of the receiver.
Copy 4 (Green)	To be returned by the receiver with his/her signature to the sender